

URZĄD DOZORU TECHNICZNEGO

ANNEX TO THE CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

No. 1433-CPR-0224

Edition I of 24.01.2023

1) Type of construction products:

Structural metallic products and ancillaries.

Steel and aluminium structural components in execution classes: EXC1, EXC2, EXC3 according to PN-EN 1090-2:2018-09/PN-EN 1090-3:2019-05, method 3a acc. to Annex A to PN-EN 1090-1+A1:2012.

2) Reference technical specifications:

PN-EN 1090-1+A1:2012 Execution of steel structures and aluminium structures - Part 1:
Requirements for conformity assessment of structural components.

PN-EN 1090-2:2018-09 Execution of steel structures and aluminium structures - Part 2:
Technical requirements for steel structures.

PN-EN 1090-3:2019-05 Execution of steel structures and aluminium structures - Part 3:
Technical requirements for aluminium structures.

3) Parent materials according to the specification:

Material	Material group according to ISO/TR 15608	Material specifications
Non alloy structural steels	1.1; 1.2; 1.3 2.1 3.1	Table 2 Table 3 according to PN-EN 1090-2:2018-09
Austenitic stainless steels	8.1 8.2	Table 4 according to PN-EN 1090-2:2018-09
Austenitic ferritic stainless steels	10.1 10.2	Table 4 according to PN-EN 1090-2:2018-09
Aluminium alloy	22.1; 22.2 22.3; 22.4 23.1	Table 2; Table 3 Table 4; Table 5 according to PN-EN 1090-3:2019-05

4) Provisions concerning the continuous surveillance of the factory production control are set out in the Agreement No. 89757/JN/2022 of 09.11.2022 on the factory production control certification.

5) The certificate becomes invalid if the obligations resulting from the Agreement No. 89757/JN/2022 of 09.11.2022 on the factory production control certification are not met.

Director of Certification and Conformity
Assessment Department

Jacek Niemczyk